

Report No. : MAN:HL:8480002545-1

DATE : 07th June, 2017



ENGEE INCORPORATED
 (TRADING AS EARTHENS) B-170, SHAHPURA
 BHOPAL,MP
 INDIA

CONTACT PERSON : MR. NILESH GOYAL

THE FOLLOWING SAMPLE(S) WAS/WERE SUBMITTED AND IDENTIFIED BY/ON BEHALF OF THE CUSTOMER AS :

SAMPLE DESCRIPTION ARECA SHEATH DINNERWARE
COLOUR BEIGE
SAMPLE RECD ON 02/05/2017
TESTING PERIOD : 17/05/2017 TO 02/06/2017

Test Requested : Please refer to the result summary.

Test Method & Results : Please refer to next page(s).

Result Summary :	Test Requested	Conclusion
	1.Microbiological Test	See Result
	2.Total Iron, Lead ,Copper, Zinc	See Result

Per Pro SGS India Pvt Ltd.

Authorized Signatory
Kapil Patil
 (Asst. Manager)
 Email your Test Report Related Enquiries at Feedback.HLT@sgs.com

Revision Remark: Report has been revised to attach correct sample digital.

This Report cancels and supersedes the Report No 8480002545 Dated 02/06/2017 issued by SGS India

JOE No. : 1748801375

Page 1 of 3

Control No.:8485003239

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/terms> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law." Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Report No. : MAN:HL:8480002545-1

DATE : 07th June, 2017



Test Result :

1. Microbiological Test

S. No.	Test Name	Test Method Reference	Test Results	Unit
1	Total Plate Count	ISO 18593:2004	<10	cfu/unit
2	Coliform	ISO 18593:2004	Absent	Per unit
3	E. Coli	ISO 18593:2004	Absent	Per unit
4	Yeast and Mould	ISO 18593:2004	<10	cfu/unit
5	Anaerobic Plate Count	APHA Dairy 17 Edition	<10	cfu/g

Sample Discription: ARECA SHEATH DINNERWARE

- Note:** 1. Test has been subcontracted To SGS approved lab .
 2. Cfu: Colony forming unit per swab.
 3. Testing has been performed as per client's request.

2. Total Iron, Lead ,Copper, Zinc

Test Method Reference: Analysis by ICP- OES.

S. No.	Test Name	Test Results
1	Total Iron	106.2 ppm
2	Total Lead	71.0 ppm
3	Total Copper	165.7 ppm
4	Total Zinc	146.1 ppm

Sample Discription: ARECA SHEATH DINNERWARE

- Note:** 1. ppm=parts per million
 2. Testing has been performed as per client's request.

This Report cancels and supersedes the Report No 8480002545 Dated 02/06/2017 issued by SGS India

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/terms> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law." Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Sample as Received



***** End of Report *****

This Report cancels and supersedes the Report No 8480002545 Dated 02/06/2017 issued by SGS India

JOE No. : 1748801375

Page 3 of 3

Control No.:8485003239

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/terms> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law." Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Consumer and Retail Laboratory, Plot no. 21, Sector 3, IMT Manesar, Gurgaon District, Haryana- 122050 (India) t: (+91-124 678 7600)

Regd. & Corp. Off: SGS House, 4B, A.S. Marg, Vikhroli (West), Mumbai-400083. t: (022) 6640 8888 f: (022) 6640 8829